



# Elevate your decking experience

with our ultimate  
pedestal solution

**20**  
YEAR  
WARRANTY







# Elevate your decking experience with our ultimate pedestal solution

PACTIV is New Zealand owned & operated. We are proud of inspiring people to tie up with all the possibilities to enjoy their outdoor life.

PACTIV pedestals are easy to adjust with height, which can raise the tiles or decking up to the level that you want. Meanwhile, our self-leveling adjustable head provides a self-adjustable angle from 0 to 5 degree, which allow tiles or decking to create a perfect flat surface even on rough ground. So laying a pavement or deck becomes a piece of cake by using PACTIV pedestal system.

The PACTIV Pedestal does not need to be adhered or grouted. Pipes and other service can be accommodated to the space between the tiles or decking and the substrate. When it rains, the water flows between the tiles or decking, onto the substrate and then unblocked onto drainage.

Are you ready to take your decking to the next level? Look no further, because we have the ultimate pedestal solution that will make all your decking requirements a breeze. Whether you're a seasoned DIY enthusiast or a professional contractor, our innovative system is designed to simplify the process and elevate your outdoor space.

## Simplicity at Its Best

We believe in making decking easy for everyone. Our pedestal system is incredibly user-friendly, ensuring that installation is a walk in the park. Say goodbye to complex setups and hello to a stress-free experience.

## Versatility

No matter the size or shape of your decking project, our solution can handle it all. It's adaptable and suitable for various decking materials, so you can let your creativity run wild.

## Durability

Your deck deserves the best, and our pedestal solution delivers just that. Crafted from high-quality materials, it ensures the longevity of your deck, even in challenging weather conditions.

## Aesthetically Pleasing

We understand the importance of a visually appealing deck. Our pedestal system offers a sleek and minimalistic look, leaving you with a stunning outdoor space that's the envy of the neighborhood.

## Environmentally Friendly

We're committed to sustainability. Our pedestal system is designed with eco-friendliness in mind, so you can enjoy your deck while knowing you're making a responsible choice.






# Elevate Efficiency, Elevate Savings, Discover the advantages of our pedestal solution

Experience the benefits of our innovative pedestal solution today and elevate your projects to new heights of efficiency and cost savings.



## Height Versatility

Achieve heights ranging from 23 mm to 410 mm using only four versatile products. No need for an extensive inventory of different parts.



## Self-Leveling Capability

Our pedestals come with self-leveling heads, accommodating slopes from 0 to 5%. Say goodbye to complicated adjustments.



## Time and Labor Savings

Our products are delivered fully assembled, reducing installation time and labor costs. Get your project off the ground faster.



## Noise and Slip Resistance

The pedestal head is coated with a 2 mm layer of anti-noise and anti-slip rubber, ensuring a safe and quiet deck surface.




## Space-Efficient Storage

Minimize your warehouse space requirements with our compact pedestal system. Less clutter, more room for other materials.



## Height Adjustment Convenience

Our pedestals include a height adjustment key for quick and easy alterations, giving you full control over your deck's elevation.



## Anti-Unscrewing Safety


Built-in anti-unscrewing safety blocks provide extra stability and security, keeping your deck in place, even under heavy loads.



## Reduced Transport Costs

Thanks to our pre-assembled product, transportation becomes more cost-effective. No need to worry about shipping bulky components; our system is ready to install upon arrival.





# PACTIV Self-Leveling Adjustable Pedestal Products

**Elevate your projects with precision:** explore our range of PACTIV self-leveling adjustable pedestal products. Discover how these innovative solutions provide the perfect foundation for a level and stable outdoor space.

## Component

Discover the heart of our system with our Component page. Learn about the essential building blocks of our self-leveling adjustable pedestal system and how they come together to create a solid foundation for your projects.

### Self-Leveling Adjustable Pedestal




## Colour options

Customized color options are also available to ensure our pedestal products seamlessly blend with your unique design vision.




# Spacer tabs

Explore the versatility of our Spacer tabs. These small but crucial components play a big role in fine-tuning your deck's alignment and ensuring a flawless finish. Learn how to use them effectively on this page.



# Height range

Dive into the Height range page to understand the incredible flexibility our system offers. From the lowest to the highest elevations, we've got your project covered. Learn about the extensive height options and how they can benefit your design.



MODULE	HEIGHT RANGE	ACCESSORY	PACKAGE		
			PCS/BOX	BOX SIZE(cm)	PCS/20GP
MB-SL0-A	23-33mm	2mm/3mm/4mm/ 5mm/ thickness spacer tabs	126 pcs/ctn	36x36x24	28000
			60 pcs/ctn	57x38x21	
MB-SL0-B	33-68mm	2mm/3mm/4mm/ 5mm/ thickness spacer tabs	126 pcs/ctn	36x36x24	20000
			40 pcs/ctn	38x31x38	
MB-SL0-C	67-157mm	2mm/3mm/4mm/ 5mm/ thickness spacer tabs	126 pcs/ctn	36x36x24	10500
			24 pcs/ctn	41x38x38	
MB-SL0-D	154-405mm	2mm/3mm/4mm/ 5mm/ thickness spacer tabs	126 pcs/ctn	36x36x24	5300
			18 pcs/ctn	54x54x31	
MB-SL1	272-595mm	2mm/3mm/4mm/ 5mm/ thickness spacer tabs	126 pcs/ctn	36x36x24	3400
		220mm Extender	45 pcs/ctn	66x49x41	
MB-SL2	392-785mm	2mm/3mm/4mm/ 5mm/ thickness spacer tabs	126 pcs/ctn	36x36x24	2500
		220mm Extender	45 pcs/ctn	66x49x41	
MB-SL3	520-975mm	2mm/3mm/4mm/ 5mm/ thickness spacer tabs	126 pcs/ctn	36x36x24	2000
		220mm Extender	24 pcs/ctn	41x38x38	



## Connecting rod

Get to know the Connecting rod, a key element in the stability and structural integrity of your deck. Learn how this component facilitates the connection between pedestals, ensuring a secure and reliable base for your outdoor space.



When the support reaches 800mm or more, the connecting rod makes the support more fixed. The K type is directly stuck on the K-fix collar. The SL type self-leveling needs to be matched with a big fix collar.



**Short connecting rod**  
(340-500mm suitable for 480-610mm tiles)



**Long connecting rod**  
(500-750mm suitable for 640-910mm tiles)



**Big fix collar**

## Autokinetic Self-Leveling

Experience the magic of Autokinetic Self-Leveling on this page. Discover how our innovative technology adapts to varying slopes (0 to 5%) with ease, ensuring a perfectly level deck surface every time.



Self-leveling head Ø 115 mm with anti-noise and anti-slip rubber.  
Allowing to get a perfect flat pavement even on rough ground.

*By using adjustment key, you can level the terrace without moving the tiles from the top of pedestal, it is fast and easy, save time and labor.  
Just insert the adjustment key in the cross of the head and turn it slowly, then you can get a leveling surface.*

## Strength (A maximum loading of 1000kg)

A maximum loading of 1000kg can be carried by per PACTIV pedestal. (Please Note: PACTIV Pedestal system is not designed for moving vehicles; Heavy Loads should be considered when designing and specifying the waterproofing system)

# Accessory

Elevate your deck with our range of Accessories. Explore the finishing touches that can enhance the functionality and aesthetics of your outdoor space. From drainage solutions to protective caps, find the perfect accessories to complete your project.



**Adjustment key**



**Transparent Plastic Tile Spacers**

Spacer tabs thickness: 4mm / diameter: 64mm / Material: HIPS




**Big fix collar**




**Connecting Rod**

short rod: 480-610mm tiles / long rod: 640-910mm tile



**10mm stackable rubber pedestal**

150x150x10mm, 3x6mm spacer tab



**14mm stackable rubber pedestal**

150x150x14mm, 3x6mm spacer tab



**Shim for rubber pedestal**

150x150x1.5mm



**3.5mm tile spacer pad**



**MB-FP-01**

12.5mm fixed height pedestal (with 2mm or 3.5mm spacer tabs)



**MB-FP-02**

16mm fixed height pedestal (with 3.5mm spacer tab)



**Rubber shim for 16mm stackable pedestal**



**No smell TPR base pad**

(noise reduction)



**Flat base rubber pad**

(noise reduction)



**Top lock wind resistant washer with screw(M4\*50)**



**Wall side soft perimeter spacer**



**Wall side steel clip buffer**

(steel clips for against the wall)



**Side closure top steel clip 01**

(noise reduction)



**Side closure top steel clip 02**

(noise reduction)



**Fibre-glass grating panels**

600x600x25mm



**Grating panel locating block (36\*36\*15mm) with screw(M4\*35mm)**

**Grating panel locating block(43\*43\*15mm) with screw(M4\*35mm)**



**Paving edging**

2.5m/pc, 20mmx50mm



**PACTIV spike**

for soft land 2mm thickness galvanized steel, 380mm height with 4 screw (M4\*12MM)




**Galvanized steel safety plate**

600x600x2mm, size customized




## Tile

Slope compensation detail using self-leveling pedestal with tiles.



## Timber

Slope compensation detail using self-leveling pedestal with wooden joist for laying wooden planks.



## Calculation

Our easy-to-use pedestal quantity calculation tool simplifies the planning process, helping you determine the precise number of pedestals needed for your project with precision and ease.


### Pedestal qty Calculation

Tile size	pcs/sqm
600x600mm	2.8 pcs
500x500mm	4 pcs
400x400mm	6.3 pcs

### Pedestal qty Calculation

Installation distance	pcs/sqm
300x300mm	11 pcs
400x400mm	6 pcs
450x450mm	5 pcs
400x400mm	4 pcs

We recommend purchasing an additional 10% of the total quantity as a prudent measure.



## Warranty

PACTIV Pedestals come with an extensive 20-year warranty, providing you with long-lasting peace of mind for your decking projects. Additionally, our dedicated customer support team is always here to assist you, ensuring your satisfaction throughout the warranty period.

For a comprehensive breakdown of our warranty terms and conditions, kindly visit our website.







M +64 21 288 6090  
T +64 9 558 3060  
E [alancheng@pactiv.co.nz](mailto:alancheng@pactiv.co.nz)  
W [www.pactiv.co.nz](http://www.pactiv.co.nz)

Join countless satisfied customers who have already transformed their decking experience with our ultimate pedestal solution. Elevate your outdoor space, simplify your project, and make your deck the ultimate destination for relaxation and entertainment.

### Ready to get started?

Contact us today and discover how our pedestal solution can make your decking dreams a reality.

